

## ENTRY PERMIT

PERMIT VALID FOR 8 HOURS ONLY. ALL PERMIT COPIES REMAIN AT SITE UNTIL JOB COMPLETED

DATE: - - SITE LOCATION/DESCRIPTION

PURPOSE OF ENTRY

SUPERVISOR(S) in charge of crews Type of Crew Phone #

## COMMUNICATION PROCEDURES

RESCUE PROCEDURES (PHONE NUMBERS AT BOTTOM)

* BOLD DEMOTES MINIMUM REQUIREMENTS TO BE COMPLETED AND REVIEWED PRIOR TO ENTRY*	REQUIREMENTS COMPLETED	DATE TIME	REQUIREMENTS COMPLETED	DATE TIME
Lock Out/De-energize/Try-out			Full Body Harness w/"D" ring	
Line(s) Broken-Capped-Blank			Emergency Escape Retrieval Eq	
Purge-Flush and Vent			Lifelines	
Ventilation			Fire Extinguishers	
Secure Area (Post and Flag)			Lighting (Explosive Proof)	
Breathing Apparatus			Protective Clothing	
Resuscitator - Inhalator			Respirator(s) (Air Purifying)	
Standby Safety Personnel			Burning and Welding Permit	

Note: Items that do not apply enter N/A in the blank.

\*\* RECORD CONTINUOUS MONITORING RESULTS EVERY 2 HOURS \*\*

## CONTINUOUS MONITORING\*\*

TEST(S) TO BE TAKEN	Permissible
PERCENT OF OXYGEN	Entry Level
LOWER FLAMMABLE LIMIT	19.5% to 23.5%
CARBON MONOXIDE	Under 10%
Aromatic Hydrocarbon	+35 PPM
Hydrogen Cyanide	+ 1 PPM * 5PPM
Hydrogen Sulfide	(Skin) * 4PPM
Sulfur Dioxide	+10 PPM *15PPM
Ammonia	+ 2 PPM * 5PPM
	*35PPM

\* Short-term exposure limit:Employee can work in the area up to 15 minutes.

+ 8 hr. Time Weighted Avg.:Employee can work in area 8 hrs (longer with appropriate respiratory protection).

## REMARKS:

GAS TESTER NAME &amp; CHECK # INSTRUMENT(S) USED MODEL &amp;/OR TYPE SERIAL &amp;/OR UNIT #

SAFETY STANDBY PERSON IS REQUIRED FOR ALL CONFINED SPACE WORK

SAFETY STANDBY PERSON(S) CHECK # CONFINED SPACE ENTRANT(S) CHECK # CONFINED SPACE ENTRANT(S) CHECK #

SUPERVISOR AUTHORIZATION - ALL CONDITIONS SATISFIED  
AMBULANCE 2800 FIRE 2900Safety 4901 Gas Coordinator 4529/5387  
DEPARTMENT/PHONE