

Project Acreage		Efficiency Equation		Actual Project Headgate Delivery Expressed as a Percent of Full Entitlement (efficiency equation variable D)																
		A	B	75%	80%	85%	90%	91%	92%	93%	94%	95%	96%	98%	100%					
Expected Project Distribution System Efficiency (Not Valid Below 75 Percent Headgate Delivery)		Effic. = AxD + B																		
64,850	0.1840	49.02	62.8	63.7	64.7	65.6	65.8	65.9	66.1	66.3	66.5	66.7	67.1	67.4						
64,500	0.1842	48.97	62.8	63.7	64.6	65.5	65.7	65.9	66.1	66.3	66.5	66.7	67.0	67.4						
64,000	0.1845	48.90	62.7	63.7	64.6	65.5	65.7	65.9	66.1	66.2	66.4	66.6	67.0	67.3						
63,500	0.1847	48.83	62.7	63.6	64.5	65.5	65.6	65.8	66.0	66.2	66.4	66.6	66.9	67.3						
63,000	0.1850	48.76	62.6	63.6	64.5	65.4	65.6	65.8	66.0	66.2	66.3	66.5	66.9	67.3						
62,500	0.1853	48.69	62.6	63.5	64.4	65.4	65.5	65.7	65.9	66.1	66.3	66.5	66.8	67.2						
62,000	0.1856	48.62	62.5	63.5	64.4	65.3	65.5	65.7	65.9	66.1	66.2	66.4	66.8	67.2						
61,500	0.1858	48.54	62.5	63.4	64.3	65.3	65.5	65.6	65.8	66.0	66.2	66.4	66.8	67.1						
61,000	0.1861	48.47	62.4	63.4	64.3	65.2	65.4	65.6	65.8	66.0	66.1	66.3	66.7	67.1						
60,500	0.1864	48.39	62.4	63.3	64.2	65.2	65.4	65.5	65.7	65.9	66.1	66.3	66.7	67.0						
60,000	0.1867	48.31	62.3	63.3	64.2	65.1	65.3	65.5	65.7	65.9	66.1	66.2	66.6	67.0						
59,500	0.1870	48.24	62.3	63.2	64.1	65.1	65.3	65.4	65.6	65.8	66.0	66.2	66.6	66.9						
59,000	0.1873	48.16	62.2	63.1	64.1	65.0	65.2	65.4	65.6	65.8	66.0	66.1	66.5	66.9						
58,500	0.1876	48.08	62.1	63.1	64.0	65.0	65.1	65.3	65.5	65.7	65.9	66.1	66.5	66.8						
58,000	0.1879	47.99	62.1	63.0	64.0	64.9	65.1	65.3	65.5	65.7	65.8	66.0	66.4	66.8						
57,500	0.1882	47.91	62.0	63.0	63.9	64.9	65.0	65.2	65.4	65.6	65.8	66.0	66.4	66.7						
57,000	0.1886	47.83	62.0	62.9	63.9	64.8	65.0	65.2	65.4	65.6	65.7	65.9	66.3	66.7						
56,500	0.1889	47.74	61.9	62.9	63.8	64.7	64.9	65.1	65.3	65.5	65.7	65.9	66.3	66.6						
56,000	0.1892	47.66	61.8	62.8	63.7	64.7	64.9	65.1	65.3	65.4	65.6	65.8	66.2	66.6						
55,500	0.1895	47.57	61.8	62.7	63.7	64.6	64.8	65.0	65.2	65.4	65.6	65.8	66.1	66.5						
55,000	0.1899	47.48	61.7	62.7	63.6	64.6	64.8	64.9	65.1	65.3	65.5	65.7	66.1	66.5						
54,500	0.1902	47.39	61.7	62.6	63.6	64.5	64.7	64.9	65.1	65.3	65.5	65.6	66.0	66.4						
54,000	0.1906	47.30	61.6	62.5	63.5	64.4	64.6	64.8	65.0	65.2	65.4	65.6	66.0	66.4						
53,500	0.1909	47.20	61.5	62.5	63.4	64.4	64.6	64.8	65.0	65.1	65.3	65.5	65.9	66.3						
53,000	0.1913	47.11	61.5	62.4	63.4	64.3	64.5	64.7	64.9	65.1	65.3	65.5	65.9	66.2						
52,500	0.1916	47.01	61.4	62.3	63.3	64.3	64.4	64.6	64.8	65.0	65.2	65.4	65.8	66.2						
52,000	0.1920	46.91	61.3	62.3	63.2	64.2	64.4	64.6	64.8	65.0	65.2	65.3	65.7	66.1						

(5) Adjustments in the MAD must be made by the Bureau each year based on changes in irrigated eligible land from the