

46.8 mt is based on the rebuilding plan, which has a 60 percent probability of rebuilding the stock to  $B_{MSY}$  by the year 2076 ( $T_{MAX}$ ) and a catch sharing arrangement which has 58 percent of the OY going to the commercial fisheries and 42 percent going to the recreational fishery. The harvest control rule will be  $F=0.0220$ . Out of the OY, it is anticipated that 1.7 mt will be taken during the research activity, 17.8 mt will be taken in the recreational fishery, 2.1 mt will be taken in non-groundfish fisheries, and 22.7 mt will be taken in the commercial fishery (which is being set as the commercial HG), leaving a residual amount of 2.5 mt. The residual amount, will be further divided with 1.25 mt being available as needed for the recreational and 1.25 mt being available as needed for the commercial fisheries. The recreational HG for the area north of 42° N. lat. will be 8.5 mt. For the area south of 42° N. lat., the recreational HG will be 9.3 mt. Specific open access/limited entry allocations have been suspended during the rebuilding period as necessary to meet the overall rebuilding target while allowing harvest of healthy stocks. Tribal vessels are estimated to land about 2.6 mt of canary rockfish under the commercial HG, but do not have a specific allocation at this time.

r/ Chilipepper rockfish - the ABC (2,700 mt) for the Monterey-Conception area is based on a three year average projection from 1999-2001 with a  $F50\% F_{MSY}$  proxy. Because the unfished biomass is believed to be above 40 percent the default OY could be set equal to the ABC. However, the OY is set at 2,000 mt to discourage effort on chilipepper, which is taken with bocaccio. Management measures to constrain the harvest of overfished species have reduced the availability of these stocks to the fishery during the past several years. Because the harvest assumptions (from the most recent stock assessment) used to forecast future harvest were likely overestimates, carrying the previously used ABCs and OYs forward into 2005 was considered to be conservative and based on the best available data. The OY is reduced by 15 mt for the amount estimated to be taken in the recreational fishery and 12 mt for the amount expected to be taken during research activity, resulting in a commercial HG of 1,973 mt. Open access is allocated 44.3 percent (874 mt) of the commercial HG and limited entry is allocated 55.7 percent (1,099 mt) of the commercial HG.

s/ Bocaccio was declared overfished on March 3, 1999. A new stock assessment and a new rebuilding analysis were prepared for bocaccio in 2003. The bocaccio stock was believed to be at 7.4 percent of its unfished biomass in 2002. The ABC of 566 mt is based on a  $F50\% F_{MSY}$  proxy. The OY of 307 mt is based on the rebuilding analysis and has a 70 percent probability of rebuilding the stock to  $B_{MSY}$  by the year 2032 ( $T_{MAX}$ ). The harvest control rule is  $F=0.0498$ . Out of the OY, it is anticipated that 0.4 mt will be taken during the research activity, 43 mt will be taken in the recreational fishery, 1.3 mt will be taken in non-groundfish fisheries, and 85.2 mt will be taken in the commercial fishery (which is being set as the commercial HG), leaving a residual amount of 177.1 mt to be used as necessary during the fishing year.

t/ Splitnose rockfish - The ABC is 615 mt in the southern area (Monterey-Conception). The 461 mt OY for the southern area reflects a 25 percent precautionary adjustment because of the less rigorous stock assessment for this stock. In the north, splitnose is included in the minor slope rockfish OY. Because the harvest assumptions used to forecast future harvest were likely overestimates, carrying the previously used ABCs and OYs forward into 2005 was considered to be conservative and based on the best available data.

u/ Yellowtail rockfish - A yellowtail rockfish stock assessment was prepared in 2003 for the Vancouver-Columbia-Eureka areas. Yellowtail rockfish was believed to be at 46 percent of its unfished biomass in 2002. The ABC of 3,896 mt is based on the 2003 stock assessment with the  $F_{MSY}$  proxy of  $F50\%$ . The OY of 3,896 mt was set equal to the ABC, because the stock is above the precautionary threshold. The OY is reduced by 15 mt for the amount estimated to be taken in the recreational fishery, 4.3 mt for the amount estimated to be taken during research activity, and 5.8 mt for the amount taken in non-groundfish fisheries,